

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S90	101	(data with header) same (pre-fetch\$3 or prefetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:18
S91	19	(data with header with request) same (pre-fetch\$3 or prefetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:49
S92	10	(alternate with output) same (pre-fetch\$3 or prefetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:24
S93	1200	(alternate near5 output) same (predetermined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:25
S94	454	(alternate near5 output) with (predetermined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:28
S95	0	(alternate near5 output) with (predetermined) and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:26
S97	2	(alternate near5 output) same (predetermined) and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:26
S98	183	(alternate near5 output) and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:26

S99	12	(alternate near5 output) same cache and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:26
S10 0	180	(toggle near5 output) with (predetermined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:28
S10 1	2	(toggle near5 output) with (predetermined) and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:29
S10 2	3807	(mux or multiplex\$2) with ((toggl\$3 or alternat\$3) near4 (output or signal or input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:30
S10 3	80	(mux or multiplex\$2) with ((toggl\$3 or alternat\$3) near4 (output or signal or input)) and (pre-fetch or prefetch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:32
S10 4	52	(mux or multiplex\$2) with ((toggl\$3 or alternat\$3) near4 (output or signal or input)) and (pre-fetch or prefetch) not (alternatively)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:34
S10 5	5	(mux or multiplex\$2) with ((toggl\$3) near4 (output or signal or input)) and (pre-fetch or prefetch) not (alternatively)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:35
S10 6	19702	((alternately or toggl\$3) near3 output\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:37

S10 7	1166	((alternately or toggled\$3) near3 output\$3) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:38
S10 8	1917	((alternat\$3 or toggled\$3) near3 output\$3) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:45
S10 9	327	((alternat\$3 or toggled\$3) near3 output\$3) with memory with stored	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:39
S11 0	8	((alternat\$3 or toggled\$3) near3 output\$3) with memory with stored with (mux or multiplex\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:41
S11 1	69	((alternat\$3 or toggled\$3) near3 output\$3) with memory with stored with (control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:42
S11 2	53	((alternat\$3 or toggled\$3) near3 output\$3) with (memory near4 stored) with (control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:42
S11 3	17	((alternat\$3 or toggled\$3) near3 output\$3) with (memory near4 stored) with (control near4 (logic or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:46
S11 5	1	((alternat\$3 or toggled\$3) near3 output\$3) with memory and (711/137.ccls. or 711/213.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:45

S11 6	49332	age with (time stamp or time-stamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:47
S11 7	234	age with (time stamp or time-stamp) with (control near3 (logic or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:48
S11 8	1	age with (time stamp or time-stamp) with (control near3 (logic or signal)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:49
S11 9	6	age with (time stamp or time-stamp) with (control near3 (logic or signal)) and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 08:50
S12 0	1	age with (time stamp or time-stamp) with (control near3 (logic or signal)) and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/07 08:51
S12 1	2	age (control near3 (logic or signal)) and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/07 08:51
S12 2	79	(data near7 header) same (pre-fetch\$3 or prefetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:49
S12 3	9	(data near4 includ\$3 near4 header) same (pre-fetch\$3 or prefetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:52

S12 4	60	(data near4 header) same (pre-fetch\$3 or prefetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/07 09:52
----------	----	---	---	-----	----	------------------